

50 years of experience in formula production

HiPP Comfort Special Formula – special recipe to meet your baby’s nutritional needs

Food for special medical purposes for the dietary management of wind, lactose-related colic and constipation in infants. It is not uncommon for babies to have a sensitive tummy during their first weeks and months. Their digestive systems are often not yet fully developed, which can lead to wind, colic and constipation, which is often accompanied by crying. Thanks to its special composition, HiPP Comfort Special Formula is easy to digest, regulates and softens your baby’s stools and helps improve your baby’s intestinal flora.

- ✓ **hydrolysate** – broken-down protein, which the body can easily digest
- ✓ **β-palmitate** – easy-to-digest fat, whose structure very closely resembles that of the fatty acids in breast milk
- ✓ **reduced lactose content** – as some babies have difficulties digesting lactose, we have considerably reduced the lactose content
- ✓ **galacto-oligosaccharides** – carbohydrate structure that promotes the growth of lactic acid bacteria, thereby aiding digestion
- ✓ **L. fermentum** – natural lactic acid cultures that were originally obtained from breast milk; breast milk contains a large number of natural lactic acid cultures that can vary from mother to mother

When switching to our HiPP Comfort Special Formula the consistency of your baby’s stool may change. This is, however, a normal occurrence for this product, as the galactooligosaccharides (GOS) in our HiPP Comfort Special Formula may lead to softer stools.

Science and nature hand in hand



Climate-neutral

From one of HiPP’s carbon-neutral production facilities, thanks to the support of global climate protection projects.

We are committed to using only strictly controlled ingredients – also in our HiPP Comfort Special Formula, which have to meet our stringent HiPP quality requirements, which are far more stringent than required by law.

Preparation Guide

Please follow the instructions carefully when preparing the formula. Incorrect preparation or storing the prepared bottle for a longer period of time can be harmful to your baby’s health, e. g. due to the growth of undesirable bacteria. Therefore, prepare the formula freshly before every meal, feed immediately and dispose of any leftovers. Clean the bottle, teat and ring thoroughly. Close the opened sachet tightly after each use, store in a dry place at room temperature and use up within 3 weeks. Please do not warm up formula in the microwave (risk of scalding!).



- 1 Boil fresh drinking water and allow it to cool down to approx. 40-50 °C*.
- 2 Pour the required amount of the boiled water (see feeding guide) into the feeding bottle.
- 3 Add the required amount of powder (see feeding guide) to the water by loosely filling the measuring scoop and wiping off any excess powder.
- 4 Close the bottle and shake vigorously.
- 5 Allow it to cool down to drinking temperature (37 °C) – check temperature.

*In order not to harm the natural lactic acid cultures (lactobacilli), please do not prepare the formula with water that is too hot.

Feeding Guide

The recommended drinking amounts and the number of bottles per day are guidelines and may vary from baby to baby. Your baby doesn’t necessarily have to finish the bottle.

Please only use the enclosed measuring scoop!

Age	Bottle feeds per day	Ready-to-drink product, ml	Boiled water, ml	Number of measuring scoops	
1 st to 2 nd week*	7-8	70	60	2	*Unless otherwise recommended by a doctor. **From the 5 th month onwards and after having consulted your paediatrician, you can introduce baby food jars and cereals.
3 rd to 4 th week	5-7	100	90	3	
5 th to 8 th week	5-6	135	120	4	
3 rd to 4 th month	5	170	150	5	
from the 5 th month**	4-5	200	180	6	
from the 6 th month	4	235	210	7	Each newly introduced complementary meal (jars/cereals) replaces one bottle feed.

AL2317-03

Originally sealed best before: see bottom of pack

Food for special medical purposes

e 300 g

Ende Überlappung

FvFLE

Nutritional information

Typical values	per 100 g	per 100 ml ready-to-drink product*
energy	2,138 kJ	276 kJ
fat (of which)	511 kcal	66 kcal
saturates	27.8 g	3.6 g
mono-unsaturates	12.4 g	1.6 g
polyunsaturates (of which)	11.0 g	1.4 g
- alpha-linolenic acid (omega-3)	4.4 g	0.6 g
- docosahexaenoic acid (DHA)	0.40 g	0.05 g
- linoleic acid (omega-6)	103.0 mg	13.2 mg
- arachidonic acid (ARA)	3.67 g	0.47 g
carbohydrate (of which)	103.0 mg	13.2 mg
sugars (of which)	54.3 g	7.0 g
- lactose	23.1 g	3.0 g
- inositol	20.7 g	2.7 g
- starch	33 mg	4.2 mg
fibre (of which)	11.7 g	1.5 g
galacto-oligosaccharides	2.4 g	0.3 g
protein ¹ (of which)	9.8 g	1.25 g
taurine	4.8 mg	0.6 mg
L-carnitine	9.0 mg	1.2 mg
mineral substances		
sodium	0.40 g	0.05 g
potassium	160 mg	20 mg
chloride	594 mg	76 mg
calcium	398 mg	51 mg
phosphorus	399 mg	51 mg
magnesium	229 mg	30 mg
iron	35 mg	4.5 mg
zinc	4.7 mg	0.60 mg
copper	3.9 mg	0.50 mg
manganese	0.41 mg	0.053 mg
fluoride	0.039 mg	0.0050 mg
selenium	0.039 mg	0.0050 mg
chromium	30 µg	3.8 µg
molybdenum	5.5 µg	0.70 µg
iodine	18 µg	2.3 µg
vitamins	114 µg	15 µg
vitamin A	420 µg	54 µg
vitamin D	12 µg	1.5 µg
vitamin E	5.5 mg	0.70 mg
vitamin K	40 µg	5.1 µg
vitamin C	69 mg	8.9 mg
vitamin B ₁ (thiamine)	0.39 mg	0.050 mg
vitamin B ₂ (riboflavin)	0.40 mg	0.051 mg
niacin	2.6 mg	0.34 mg
vitamin B ₆	0.22 mg	0.029 mg
folic acid	78.1 µg	10.0 µg
vitamin B ₁₂	0.80 µg	0.10 µg
biotin	12 µg	1.5 µg
pantothenic acid	2.6 mg	0.34 mg
further nutritional values		
choline	195 mg	25 mg
osmolality		210 mOsmol/l

¹ hydrolysed whey protein (from cow’s milk)
The analysis values are subject to fluctuations typical of products made of natural ingredients. Packaged in a protective atmosphere.
*Standard solution: 12.8 g HiPP Comfort Special Formula + 90 ml water = 100 ml ready-to-drink product.
1 level measuring scoop = 4.3 g HiPP Comfort Special Formula

Ingredients


Lactose, maltodextrin, vegetable oils (palm oil¹, rapeseed oil, sunflower oil), starch, beta-palmitate¹ (from palm oil and sunflower oil), hydrolysed whey protein, galacto-oligosaccharides from lactose, calcium salts of orthophosphoric acid, emulsifier citric acid esters of mono- and diglycerides of fatty acids, potassium chloride, fish oil, choline, Mortierella alpina-oil, L-phenylalanine, L-tyrosine, potassium hydroxide, magnesium carbonate, sodium citrate, sodium hydroxide, sodium selenite, L-tryptophan, vitamin C, calcium carbonate, L-histidine, zinc sulphate, inositol, potassium iodate, ferrous sulphate, L-carnitine, vitamin E, pantothenic acid, natural lactic acid culture (Limosilactobacillus fermentum hereditum²), niacin, cupric sulphate, vitamin B₁, vitamin A, vitamin B₂, manganese sulphate, vitamin B₆, folic acid, vitamin K, D-biotin, vitamin D, vitamin B₁₂.

¹ special fat structure, modelled on breast milk
² Limosilactobacillus fermentum CECT5716
³ palm oil from sustainable farming, certified by independent control authorities.

FS3 | 1365 | 302807 | -2023-



COMFORT
with natural lactic acid cultures



COMFORT
from birth onwards
SPECIAL FORMULA
*in cases of lactose-related colic



This product left our factory in perfect condition – please make sure the packaging is undamaged before consumption.
Freshness Guarantee
The foil sachet ensures optimal freshness and aroma protection. Store in a dry place at room temperature and avoid temperature fluctuations. Foil sachet and cardboard box must be recycled separately.
If properly stored, the originally sealed bag is best before: AL2317-03

Codierzone

Use

HiPP Comfort Special Formula is suitable for the dietary management of wind, lactose-related colic and constipation in infants and may be used from birth onwards for the exclusive feeding of your baby.

Important information

- Breastfeeding is best for your baby. Please consult your hospital or paediatrician if you want to give your baby special formula.
- Special formulae should only be used under medical supervision and only as long as deemed necessary to alleviate symptoms.
- HiPP Comfort Special Formula is suitable for the dietary management of wind, lactose-related colic and constipation in infants and may, under medical supervision, be used from birth onwards for the exclusive feeding of your baby, and after 6 months as part of a mixed diet.

• Do not use in cases of a known or suspected cow’s milk protein allergy.

• HiPP Comfort Special Formula should make your baby feel better after a few days. Should no improvement of the symptoms be noticeable, please contact your paediatrician again.

• Like breast milk, formulae also contain carbohydrates. They are an important part of your baby’s nutrition. Frequent or prolonged contact between your baby’s teeth and liquids containing carbohydrates may lead to tooth decay and related adverse health effects. Do not give your child a bottle to suck on constantly and encourage your child drink from a cup as early as possible.

• Not suitable for parenteral use.

Please ensure a balanced, varied diet and a healthy lifestyle for your baby.

Environmentally friendly packaging:



If you have questions about your baby’s diet, please contact:

Exporter:
HiPP Austria GmbH,
Theresienhofstraße 68,
4810 Gmunden/Austria

Producer:
Milchwirtschaftliche Industrie
Gesellschaft Herford GmbH & Co. KG,
Bielefelder Straße 66,
32051 Herford/Germany

